

SAFETY DATA SHEET

Quick SEAL / Q-SEAL

1. Chemical Product and Company Identification

Product Name: Quick SEAL Self-Etching light curing pit & fissure sealant Q-SEAL Light curing pit & fissure sealant

Manufacturer: BJM Laboratories Ltd.

Address: 12 Hassadna Street, Industrial Park, Or-Yehuda, 6022011, Israel.

Telephone: 972-3-7353000 / Fax: 972-3-7353020.

2. Composition / Information of Hazardous Ingredients

Hazardous Ingredients	CAS#	Hazard Identification & Risk Phrases
Urethandimethacrylate oligomer	72869-86-4	Xi, R36/37/38
Triethyleneglycoldimethacrylate	109-16-0	Xi, R36/37/38
Methacrylated phosphoric acid esters	32435-46-4	Xi, R/36/38-43
4-methacryloxyethyltrimellitic anhydrid	70293-55-9	Xn; Xi; R22-36/38-43
DL et einitiet en	10373-78-1	Xi, R36/37/38
Photoinitiators	10287-53-3	Xi, R36/37/38
Treated Fumed Silica	6762-90-7	N/E

✓ <u>Additional information:</u> For the wording of the listed risk phrases refer to section 16.

3. Hazards Identification Xi Irritant

<u>Acute Health Hazards:</u> May cause eye, respiratory and skin irritation. <u>Chronic Health Hazards:</u> Material is not known to cause significant health problems.

<u>Signs and Symptoms of Exposure:</u> High concentrations can cause eye and respiratory irritation. Prolonged skin exposure can cause dryness. Primary Routes of Exposure: Inhalation, skin contact, eye contact.

Carcinogenicity: NTP – no, OSHA – no, IARC – no.

4. First Aid Measures in Cause of Inhalation

If irritation occurs, take victim to open air.

In case of skin contact: wash with soap and water.

<u>In case of eye contact:</u> Flush with large quantities of water for 15 minutes.

Consult a physician.

In case of ingestion: Consult a physician.

5. Fire-Fighting Measures

Flashpoint: N/A

Page 1 of 5 Revision 5 *EU acc. To ISO 11014*Last revised: 30-July-2014

Approved for use: 30-July-2014



Extinguishing Media: Carbon dioxide, water spray, foam or dry chemical.

Special Fire Fighting Procedures: Avoid a direct jet of water.

Unusual Fire and Explosion Hazards: None.

6. Accidental Release Measures

<u>Environmental Precautions:</u> Avoid seepage into suvers and water supplies. <u>Clean-Up Procedure:</u> Contain spill and pick up material with a suitable absorbent material. Place absorbent into a container for later disposal. Clean spill area with detergent and water.

7. Handling and Storage

<u>Handling:</u> No special measures necessary if handled according to instructions. <u>Storage:</u> Keep container tightly closed when not in use. Store in a cool, dry location. Keep material in original packaging.

8. Exposure Controls/ Personal Protection

Exposure Controls: Use only in well ventilated areas.

<u>Hand and Skin Protection:</u> Avoid unnecessary skin contact. Wear latex gloves when handling.

<u>Hygiene Measures:</u> Remove spilled material from skin and clothing. Do not eat or drink when handling this material.

9. Physical and Chemical Properties

Appearance: White paste. Odor: Specific odor. Boling Point/ Range: N/A

Evaporation Bate (water = 1): N/A Vapor Density (Air = 1): N/A Solubility in Water: Insoluble

10. Stability and Reactivity

Stability: This material is stable.

<u>Hazardous Reactions</u>: None if handled according to directions

<u>Hazardous Polymerization:</u> May occur. <u>Conditions to Avoid:</u> Heat; UV-light.

Incompatibility: Free radicals, reducing agents, heavy metal ions.

<u>Hazardous Decomposition Products:</u> Carbon dioxide, carbon monoxide, acrylic decomposition products, depending on conditions of heating and

burning.

Page 2 of 5

Revision 5 EU acc. To ISO 11014

Last revised: 30-July-2014

Approved for use: 30-July-2014



11. Toxicological Information

Acute oral toxicity: LD50 (rat) > 5000 mg/kg

<u>Irritation of Skin:</u> Dryness and Irritation possible upon prolonged

exposure.

<u>Allergic Effects:</u> Methacrylate sensitive individuals may exhibit an allergic reaction.

reaction.

12. Ecological Information

Do not discharge into suvers or water supplies.

Environmental persistence and degradability: No data available.

Ecotoxicity: No data available.

13. Disposal Considerations

May be disposed of in landfill or incinerator In accordance with local, state and federal regulations.

14. Transport Information

14.3 Air transport

14.1 Transport at land ADR RID

UN Number Kemler Number

Packing Group Proper shipping name

14.2 Transport at sea ADNR IMDG

UN Number

EMS MFAG

Packing Group Proper shipping name ICAO / IATA-DGR

UN Number

Proper shipping name Subsidiary Risk Labels

Packing Group

<u>U.S. DOT</u> Shipping Name: Not Regulated U.S. DOT Hazard Class: None U.N/ N.A.

Number: None

U.S. Dot Packing Group: None

Other: Not considered hazardous cargo.

15. Regulatory Information

This product requires classification according to the criteria of EC. The product is a medical device according to the EC-directive 93/42.

15.1 UN Number 15.2 National

regulations

OSSE

Page 3 of 5 Revision 5 EU acc. To ISO 11014

Last revised: 30-July-2014 Approved for use: 30-July-2014



15.3 EU number15.4 Hazard symbols

Xi .

15.5 Hazard designation

15.6 Risk phrases

Xi: Irritant. Contains 4-Methacryloxyethyltrimellitic anhydride.

R: 22, 36, 37/38, 43

22 Harmful if swallowed. 36 Irritating to eyes.

37/38 Irritating to respiratory system and skin. 43 May cause sensitization by skin contact.

15.7 Safety phrases

S: 2, 9, 16, 23, 26, 28, 24/25, 37/39

2 Keep out of the reach of children.

9 Keep container in a well-ventilated place.

16 Keep away from sources of ignition - No smoking.

23 Do not breathe vapour.

26 In case of contact with eyes, rinse immediately with

plenty of water and seek medical advise.

28 After contact with skin, wash immediately with

plenty of water and soap.

24/25 Avoid contact with skin and eyes.

37/39 Wear suitable gloves and eye/face protection.

<u>U.S. – O.S.H.A. Status:</u> This material is not hazardous under the criteria of the U.S. Federal Hazard Communication Standard.

16. Other Information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall establish a legally valid contractual relationship.

Relevant R-phrases

22 Harmful if swallowed.

36 Irritating to eyes.

37/38 Irritating to respiratory system and skin.

43 May cause sensitisation by skin contact.

Xi Irritant

Xn Harmful.

Material should be maintained in original containers. Empty containers should not be re-used

AN SI / NFPA 704 DATA

Fire = 1

Health = 1

Reactivity = 1 Specific

This information is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data, or the results to be obtained from use thereof. In no event will the

Revision 5 EU acc. To ISO 11014

Last revised: 30-July-2014

Approved for use: 30-July-2014



manufacturer or distributor be responsible for damages of any nature whatsoever resulting from the use of, or reliance upon this information. General properties described herein are to be regarded as guides and are not guaranteed for all samples.

Page 5 of 5

Revision 5 EU acc. To ISO 11014

Last revised: 30-July-2014

Approved for use: 30-July-2014

QSSE