8. Exposure Controls/Personal Protection

Eye Protection: Use Protective Eyewear. Hand Protection: Use protective gloves.

Respiratory Protection: Avoid prolonged breathing of vapors of uncured material.

Skin Protection: Use any necessary hygiene measures.

9. Physical / Chemical Properties

Paste	Vapor Pressure @ 20°C/68°F		
Tooth colored	Miscibility	N/A	
Acrylic odor	Vapor Density	N/A	
insoluble	pH	N/A	
N/A	Evaporation Rate	N/A	
N/A	Viscosity	N/A	
>100°F (38°C)	Partition Coefficient	N/A	
N/A	Autoflammability	N/A	
N/A	Flammability	N/A	
N/A	Relative Density	N/A	
	Tooth colored Acrylic odor insoluble N/A N/A >100°F (38°C) N/A N/A	Tooth colored Miscibility Acrylic odor Vapor Density insoluble pH N/A Evaporation Rate N/A Viscosity >100°F (38°C) Partition Coefficient N/A Autoflammability N/A Flammability	

10. Stability and Reactivity

Avoid high temperatures and direct light (>10,000 lux).

11. Toxicological Information

Eye Contact: Irritates the eyes.
Skin Contact: May irritate the skin.

Sensitization: May cause allergic reaction on contact with the skin.

Other: N/A.

12. Ecological Information

N/A

13. Disposal Considerations

Refer to any Community provisions relating to waste. In their absence, refer to National or Regional provisions relating to waste.

14. Transport Information

No special precautions.

15. Regulatory Information

Classification: Xi Irritant, R36 Irritating to eyes. R37 Irritating to Respiratory System, R38

Irritating to Skin. May cause sensitization by skin contact.

Safety: Refer to any applicable National laws.

NOTE: This information is believed to be correct as of the date of this MSDS. The manufacturer makes no representation as to the completeness or accuracy of this information and supplies it on the condition that the person receiving it will make their own determination as to its suitability for their purposes prior to use. In no event will the manufacturer be responsible for damages of any nature whatsoever resulting from the use of or reliance upon the information contained herein.

Material Safety Data Sheet

Issued: 07/01/2013 Revision Number: 7

1. Identification of Substance/Preparation and Company/Undertaking

Product Name: Flowtain / Flowtain LV

Manufacturer: Reliance Orthodontic Products, Inc., 1540 West Thorndale Ave, Itasca, IL

60143 USA

Emergency Telephone: 630-773-4009 Fax: 630-250-7704

Authorized Representative: Emergo Europe, Molenstraat 15, 2513 BH The Hague, The Netherlands

Telephone: +31-70-345-8570 · Fax: +31-70-346-7299

CE Administrator: Amtac Certification Services Ltd., Davey Avenue, Knowlhill, Milton Keynes,

MK5 8NL, United Kingdom

2. Composition/Information on Ingredients

Ingredient	Concentration	CAS Number	Symbol/Risk	OSHA	ACGIH	LD50
	Range		Classification	PEL	(mg/m3)	(mg/kg,
	(%)					rat/oral)
				(mg/m3)		
EBPDMA	>10	56744-60-6	Xi; R36/37/38	N/D	N/D	N/D
Glass filler	>50	65997-18-4	N/A	0.5	0.5	N/D
Triethyleneglycol Dimethacrylate	<15	109-16-0	Xi; R36/37/38	N/D	N/D	10837

3. Hazards Identification

Irritant, Irritating to eyes, respiratory system and skin; May cause sensitization by skin contact.

4. First-aid Measures

Inhalation: Provide fresh air and rest. Skin Contact: Wash with soap and water.

Eye Contact: Flush with running water for at least 15 minutes while keeping eye lids open; seek

medical attention.

Ingestion: Drink two glasses of water or milk. Seek medical attention if a substantial amount has

been ingested.

5. Fire-fighting Measures

Fire-fighting media: Dry chemical powder, foam or carbon dioxide. Fire and explosion risks: Upon combustion, irritating gases may form.

6. Accidental Release Measures

Personal Precautions: Prevent skin/eye contact, Provide ventilation.

Environmental Precautions: Avoid ground water contamination.

Methods for Cleaning Up: Wipe with damp paper towels, Discard properly.

7. Handling and Storage

Store in ventilated, cool, dry place (20°C/68°F - 25°C/77°F); avoid high light intensity >10000 lux. This product is used exclusively for dental purposes by trained personnel