

Page 1/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2018

Version number 3

Revision: 21.06.2017

## **SECTION 1: Identification**

- · 1.1 Product identifier
- Trade name: GC EQUIA Coat
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Auxiliary for dental technology
- $\cdot$  1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax +32/(0)16/40.26.84 msds@gc.dental

· Information department: Regulatory affairs

· 1.4 Emergency telephone number: International: +01-813-248-0585 (ChemTel Inc.)

### SECTION 2: Hazard(s) identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device.

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 2 H361f Suspected of damaging fertility.

STOT SE 3 H335 May cause respiratory irritation.

### · 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

*Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device. The product is classified and labeled according to the CLP regulation.* 

· Hazard pictograms



· Signal word Danger

• Hazard-determining components of labeling: Methyl methacrylate

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

- · Hazard statements
- H225 Highly flammable liquid and vapour.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.

(Contd. on page 2)

Printing date 03.08.2018

Version number 3

Revision: 21.06.2017

Trade name: GC EQUIA Coat

	(Contd. of page 1)
H361f Suspecte	d of damaging fertility.
H335 May cau	se respiratory irritation.
· Precautionary	statements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves / eye protection / face protection.
P303+P361+P	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
	[or shower].
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
$\cdot$ 2.3 Other haza	rds

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

### **SECTION 3:** Composition/information on ingredients

- · 3.2 Chemical characterization: Mixtures
- · Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous components:		
80-62-6 Methyl metha	crylate	25-<50%
Flam. Liq. 2,	H225; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	
75980-60-8 diphenyl(2,4,	6-trimethylbenzoyl)phosphine oxide	≥3-<5%
Repr. 2, H36.	lf	
85590-00-7 methacryloyl	oxydecyl dihydrogen phosphate	0.5-<1%
Skin Irrit. 2, 1	H315; Eye Irrit. 2, H319; STOT SE 3, H335	
Additional information: H	For the wording of the listed hazard phrases refer to section 16.	

• Additional information: For the wording of the listed hazard phrases refer to section

### **SECTION 4: First-aid measures**

• 4.1 Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• *After skin contact: Immediately wash with water and soap and rinse thoroughly.* 

Seek medical treatment.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water.

(Contd. on page 3)

Printing date 03.08.2018

Version number 3

Revision: 21.06.2017

(Contd. of page 2)

Trade name: GC EQUIA Coat

If symptoms persist consult doctor.

• After swallowing:

*Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.* 

• 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Fire-fighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### **SECTION 6:** Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area.
 Keep away from ignition sources Avoid contact with the eyes and skin.
 Wear protective clothing.
 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to penetrate the ground/soil.

In case of seepage into the ground inform responsible authorities.

• 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.

Absorb liquid components with liquid-binding material.

Dispose of the collected material according to regulations.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with the eyes and skin.

• Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

(Contd. on page 4)

EU

Printing date 03.08.2018

Version number 3

Revision: 21.06.2017

(Contd. of page 3)

### Trade name: GC EQUIA Coat

Do not spray on a naked flame or any incandescent material.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- *Requirements to be met by storerooms and receptacles:* Store in a cool location. Store only in unopened original receptacles.

• Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
Protect from heat and direct sunlight.
Store in a cool place.
7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

### · 8.1 Control parameters

### · Components with limit values that require monitoring at the workplace:

### 80-62-6 Methyl methacrylate

IOELV Short-term value: 100 ppm

Long-term value: 50 ppm

### · DNELs

### 80-62-6 Methyl methacrylate

Dermal DNEL dermal 13.67 mg/kg bw/day (man) (worker, l. te., syst.)

Inhalative DNEL inhalation 208 mg/m3 (air) (worker, l. te., syst.)

• Additional information: The lists that were valid during the creation were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

• General protective and hygienic measures:

*The usual precautionary measures for handling chemicals should be followed. Avoid contact with the eyes and skin.* 

Avoia contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

• Breathing equipment: Suitable respiratory protective device recommended.

• Protection of hands:



Protective gloves

### • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 03.08.2018

Kinematic: · Solvent content:

Organic solvents: VOC (EC)

Version number 3

Revision: 21.06.2017

Trade name: GC EQUIA Coat

		(Contd. of pag
Eye protection:		
Tightly sealed goggles		
SECTION 9: Physical and ch	nemical properties	
9.1 Information on basic physical of	and chemical properties	
General Information		
· Appearance:		
Form:	Liquid	
Color:	Light yellow	
· Odor: · Odor threshold:	Ester-like	
	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
<b>Boiling point/Boiling range:</b>	100 °C	
Flash point:	10 °C	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	Undetermined.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	2.1 Vol %	
Upper:	12.5 Vol %	
Vapor pressure:	Not determined.	
Density at 20 °C:	1.1 g/cm <sup>3</sup>	
Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	t <b>er):</b> Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinomatic	Not determined	

Not determined. Not determined.

0.0 % 0.0 g/l

> (Contd. on page 6) EU

Printing date 03.08.2018

Version number 3

Revision: 21.06.2017

(Contd. of page 5)

Trade name: GC EQUIA Coat

• 9.2 Other information

No further relevant information available.

### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

 $\cdot$  10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

### · 11.1 Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

### · LD/LC50 values that are relevant for classification:

80-62-6 Methyl methacrylate

Oral LD50 6000 mg/kg (rabbit)

*Dermal* LD50 >5000 mg/kg (rab)

Inhalative LC50/4 h 29.8 mg/l (rat (f+m))

· Primary irritant effect:

• on the skin:

Causes skin irritation.

• on the eye: Based on available data, the classification criteria are not met.

• Sensitization:

May cause an allergic skin reaction.

• Additional toxicological information:

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

• *Repeated dose toxicity No further relevant information available.* 

### · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity

Suspected of damaging fertility.

· STOT-single exposure

May cause respiratory irritation.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and degradability No further relevant information available.

(Contd. on page 7)

*Printing date 03.08.2018* 

Version number 3

Revision: 21.06.2017

(Contd. of page 6)

Trade name: GC EQUIA Coat

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

 • European waste catalogue

 18 00 00
 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care)

 18 01 00
 wastes from natal care, diagnosis, treatment or prevention of disease in humans

 18 01 06\*
 chemicals consisting of or containing hazardous substances

· Uncleaned packagings:

- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· 14.1 UN-Number · ADR, IMDG, IATA	UN1247
	0/1/27/
· 14.2 UN proper shipping name	
·DOT	Methyl methacrylate monomer, stabilized mixture
· ADR	1247 METHYL METHACRYLATE MONOMER, STABILIZI mixture
· IMDG, IATA	METHYL METHACRYLATE MONOMER, STABILIZE
	mixture
· 14.3 Transport hazard class(es)	
·ADR	
· Class	3 (F1) Flammable liquids

Printing date 03.08.2018

Version number 3

Revision: 21.06.2017

Trade name: GC EQUIA Coat

	(Contd. of page
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
14.4 Packing group	
ADR, IMDG, IATA	11
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	339 E E S D
EMS Number: Stowage Category	F-E,S-D B
Stowage Code	B SW2 Clear of living quarters.
0	
14.7 Transport in bulk according to Anne MARPOL73/78 and the IBC Code	<i>ex II 0J</i> Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ)	
Excepted quantities (EQ)	Code: E2
Excepted quantities (Eg)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1247 METHYL METHACRYLATE MONOME
	STABILIZED MIXTURE, 3, II

## SECTION 15: Regulatory information

 $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

## · Section 313 (Specific toxic chemical listings):

80-62-6 Methyl methacrylate

(Contd. on page 9)

EU

*Printing date 03.08.2018* 

Version number 3

Revision: 21.06.2017

Trade name: GC EQUIA Coat

	(Contd. of page 8)
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
80-62-6 Methyl methacrylate	E, NL
· TLV (Threshold Limit Value established by ACGIH)	
80-62-6 Methyl methacrylate	A4
128-37-0 Butylated hydroxytoluene	A4
· MAK (German Maximum Workplace Concentration)	
128-37-0 Butylated hydroxytoluene	4
$\cdot$ NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

· Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

- Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H361f Suspected of damaging fertility.
- · Classification according to Regulation (EC) No 1272/2008 Calculation method
- · Department issuing SDS: Regulatory affairs
- · Contact: msds@gc.dental

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists

Printing date 03.08.2018

Version number 3

Revision: 21.06.2017

### Trade name: GC EQUIA Coat

(Contd. of page 9) EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation – Category 1 *Repr. 2: Reproductive toxicity – Category 2* STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 · Sources • ECHA (http://echa.europa.eu/) • EnviChem (www.echemportal.org)  $\cdot$  \* Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation. EU -