according to Regulation (EC) No 1907/2006

IconDry

Print date: 20.04.2016 Product code: 6700 Page 1 of 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

IconDry

 Product group:
 Endprodukt

 CAS No:
 64-17-5

 Index No:
 603-002-00-5

 EC No:
 200-578-6

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: DMG Chemisch-Pharmazeutische Fabrik GmbH

Street: Elbgaustraße 248
Place: D-22547 Hamburg
Telephone: +49. (0) 40. 84006-0

ne: +49. (0) 40. 84006-0 Telefax: +49. (0) 40. 84006-222

e-mail: info@dmg-dental.com Internet: www.dmg-dental.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Flammable liquid: Flam. Liq. 2

Hazard Statements:

Highly flammable liquid and vapour.

2.2. Label elements

Signal word: Danger Pictograms: GHS02



Hazard statements

H225 Highly flammable liquid and vapour.

Precautionary statements

P233 Keep container tightly closed.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P102 Keep out of reach of children.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Ethanol.

Sum formula: C2H6O Molecular weight: 46,07

according to Regulation (EC) No 1907/2006

| | IconDry | |
|------------------------|--------------------|-------------|
| Print date: 20.04.2016 | Product code: 6700 | Page 2 of 6 |

Hazardous components

| EC No | Chemical name | Quantity |
|--------------|---|----------|
| CAS No | Classification according to Directive 67/548/EEC | |
| Index No | Classification according to Regulation (EC) No. 1272/2008 [CLP] | |
| REACH No | | |
| 200-578-6 | ethanol, ethyl alcohol | < 100 % |
| 64-17-5 | F - Highly flammable R11 | |
| 603-002-00-5 | Flam. Liq. 2; H225 | |

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

After contact with skin, wash immediately with: Water and soap. Change contaminated clothing. Rub in high-fat content cream.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

If swallowed, immediately drink: Water. Consult physician.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Atomized water. alcohol resistant foam. Carbon dioxide (CO2). Extinguishing powder. Sand.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Concentrated vapors are heavier than air. Vapours may form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition - No smoking.

The following must be prevented: inhalation. skin contact. Eye contact.

6.2. Environmental precautions

Do not empty into drains or the aquatic environment.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep away from sources of ignition - No smoking. Provide adequate ventilation.

according to Regulation (EC) No 1907/2006

IconDry

Print date: 20.04.2016 Product code: 6700 Page 3 of 6

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Store only in original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|---------|-----------|------|-------|-----------|---------------|--------|
| 64-17-5 | Ethanol | 1000 | 1920 | | TWA (8 h) | WEL |
| | | - | - | | STEL (15 min) | WEL |

8.2. Exposure controls









Protective and hygiene measures

When using do not eat or drink.

Eye/face protection

Tightly sealed safety glasses.

Hand protection

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber).

Respiratory protection

The following must be prevented: inhalation. Exceeding critical value: Filter respirator (full mask or mouth-piece) with filter: A

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: colourless-transparent

Odour: characteristic

Test method

pH-Value: neutral

Changes in the physical state

Melting point: ca. -115 °C
Initial boiling point and boiling range: ca. 80 °C
Flash point: 12 °C
Lower explosion limits: 3.5 vol. %
Upper explosion limits: 15 vol. %
Ignition temperature: 425 °C
Vapour pressure: 59 hPa (at 20 °C)

Density (at 20 °C): ca. 0,8 g/cm³
Water solubility: complete miscible

according to Regulation (EC) No 1907/2006

IconDry

Print date: 20.04.2016 Product code: 6700 Page 4 of 6

Viscosity / dynamic: 1,3 mPa·s

(at 20 °C)

SECTION 10: Stability and reactivity

10.4. Conditions to avoid

heat.

10.5. Incompatible materials

Oxidizing agents. peroxides. acid. Alkali metals.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Acute toxicity, oral LD50: (species: Rat.): > 6200 mg/kg; Acute toxicity, inhalant 95.6 mg / 1/4 h

| CAS No | Chemical name | | | | | | |
|---------|-------------------------|--------|------------|---------|--------|--|--|
| | Exposure routes | Method | Dose | Species | Source | | |
| 64-17-5 | ethanol, ethyl alcohol | | | | | | |
| | oral | LD50 | 6200 mg/kg | Rat | IUCLID | | |
| | inhalative (4 h) vapour | LC50 | 95,6 mg/l | Rat | RTECS | | |

Irritation and corrosivity

In case of prolonged or frequently repeated skin contact: irritant.; Following eye contact: irritant.

SECTION 12: Ecological information

12.1. Toxicity

Acute fish toxicity (Leuciscus idus): LC50: > 8140 mg / I / 48 h (Ethanol); Acute Daphnia toxicity (Daphnia magna): EC50: 9268 - 14221 mg / I / 48 h

| CAS No | Chemical name | | | | | | |
|---------|--------------------------|--------------|--------------|-----------|---------------|--------|--|
| | Aquatic toxicity | Method | Dose | [h] [d] | Species | Source | |
| 64-17-5 | ethanol, ethyl alcohol | | | | | | |
| | Acute crustacea toxicity | EC50 mg/l | 9268 - 14221 | 48 h | Daphnia magna | IUCLID | |

12.2. Persistence and degradability

Easily biodegradable (concerning to the criteria of the OECD)

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|---------|------------------------|---------|
| 64-17-5 | ethanol, ethyl alcohol | -0,31 |

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Remove according to the regulations.

Waste disposal number of waste from residues/unused products

according to Regulation (EC) No 1907/2006

IconDry

Print date: 20.04.2016 Product code: 6700 Page 5 of 6

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except

kitchen and restaurant wastes not arising from immediate health care); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing

dangerous substances

Classified as hazardous waste.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 1170

14.2. UN proper shipping name: ETHANOL (ETHYL ALCOHOL)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Classification code: F1
Special Provisions: 144 601
Limited quantity: 1 L
Transport category: 2
Hazard No: 33
Tunnel restriction code: D/E

Other applicable information (land transport)

F2

Marine transport (IMDG)

14.1. UN number: UN 1170

14.2. UN proper shipping name: ETHANOL (ETHYL ALCOHOL)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Special Provisions: 144
Limited quantity: 3 L
EmS: F-E, S-D

Other applicable information (marine transport)

F2

Air transport (ICAO)

14.1. UN number: UN 1170

14.2. UN proper shipping name: ETHANOL (ETHYL ALCOHOL)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3

according to Regulation (EC) No 1907/2006

IconDry

Print date: 20.04.2016 Product code: 6700 Page 6 of 6



Special Provisions: A3

Limited quantity Passenger: 1 L

IATA-packing instructions - Passenger: 353
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 364
IATA-max. quantity - Cargo: 60 L

Other applicable information (air transport)

E2 : Y341

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

SECTION 16: Other information

Relevant R-phrases (Number and full text)

11 Highly flammable.

Relevant H- and EUH-phrases (Number and full text)

H225 Highly flammable liquid and vapour.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Telefax: +49. (0) 40. 84006-222

Safety Data Sheet

according to Regulation (EC) No 1907/2006

IconEtch

Print date: 20.04.2016 Product code: 6102 Page 1 of 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

IconEtch

CAS No: 7647-01-0 Index No: 017-002-00-2 EC No: 231-595-7

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: DMG Chemisch-Pharmazeutische Fabrik GmbH

Street: Elbgaustraße 248
Place: D-22547 Hamburg
Telephone: +49. (0) 40. 84006-0

e-mail: info@dmg-dental.com Internet: www.dmg-dental.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

This mixture is not classified as hazardous according to Directive 1999/45/EC.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1B

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

May be corrosive to metals. May cause respiratory irritation.

Causes severe skin burns and eye damage.

2.2. Label elements

Signal word: Danger
Pictograms: GHS05-GHS07





Hazard statements

H290 May be corrosive to metals.
H335 May cause respiratory irritation.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing

P280 Wear protective gloves/protective clothing/eye protection/face protection.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to Regulation (EC) No 1907/2006

IconEtch

Print date: 20.04.2016 Product code: 6102 Page 2 of 6

Chemical characterization

Hydrochloric (HCI).

Sum formula: HCI
Molecular weight: 36,46

Hazardous components

| EC No | Chemical name | Quantity |
|-----------|---|-----------|
| CAS No | Classification according to Directive 67/548/EEC | |
| Index No | Classification according to Regulation (EC) No. 1272/2008 [CLP] | |
| REACH No | | |
| | Hydrochloric (HCI). | 15 - 20 % |
| 7647-01-0 | C - Corrosive, Xi - Irritant R34-37 | |
| | | |

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. Consult physician.

If victim is at risk of losing consciousness, position and transport on their side.

After contact with skin

After contact with skin, wash immediately with plenty of water. Remove contaminated clothing immediatley and dispose off safely.

After contact with eyes

Move victim out of danger zone. Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult physician.

After ingestion

Do not induce vomiting. Rinse mouth immediately and drink large quantities of water. Consult physician.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

Material is not combustible.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

The following must be prevented: inhalation. skin contact. Eye contact. Wear suitable protective clothing.

6.2. Environmental precautions

Do not empty into drains or the aquatic environment.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Suitable material for diluting or neutralizing: lime-Water., "lime water" Ca(OH)2 aq.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

according to Regulation (EC) No 1907/2006

IconEtch

Print date: 20.04.2016 Product code: 6102 Page 3 of 6

Advice on safe handling

Wear suitable protective clothing and gloves. Avoid contact with eyes.

Further information on handling

Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Suitable material for Container: Glass. material, acid proof.

Advice on storage compatibility

Do not store together with: Alkalis (alkalis). metal.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|-----------|---|-----|-------|-----------|---------------|--------|
| 7647-01-0 | Hydrogen chloride (gas and aerosol mists) | 1 | 2 | | TWA (8 h) | WEL |
| | | 5 | 8 | | STEL (15 min) | WEL |

8.2. Exposure controls







Protective and hygiene measures

When using do not eat or drink.

Eye/face protection

Tightly sealed safety glasses.

Hand protection

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber).:0,4mm

Respiratory protection

The following must be prevented: inhalation. Exceeding critical value: Filter respirator (full mask or mouth-piece) with filter: A

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Paste
Colour: green
Odour: pungent

Test method

pH-Value: ca.1

Changes in the physical state

point of decomposition: >100 °C

Lower explosion limits: Upper explosion limits:

Vapour pressure: ca.21 hPa

(at 20 °C)

according to Regulation (EC) No 1907/2006

IconEtch

Print date: 20.04.2016 Product code: 6102 Page 4 of 6

Density (at 20 °C): ca1,1 g/cm³ Water solubility: miscible.

SECTION 10: Stability and reactivity

10.4. Conditions to avoid

at °C: ca 100-point of decomposition

10.5. Incompatible materials

metals in powder form. metal. amines. Alkalis (alkalis).

10.6. Hazardous decomposition products

Hydrochloric (HCI).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Acute toxicity, oral LD50: (species: Rat.): 3000 ppm (Vol.)/1h

Irritation and corrosivity

Irritant effect on the eye: corrosive. Risk of serious damage to eyes.

Irritant effect on the skin: Causes burns.

Following inhalation: Coughing. shortage of breath. Gas / vapours, irritant. After ingestion: Causes burns. Nature of Hazard: Stomach perforation.

Additional information on tests

highly caustic.

SECTION 12: Ecological information

Further information

Leakage into the environment must be prevented.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Remove according to the regulations.

Waste disposal number of waste from residues/unused products

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except

kitchen and restaurant wastes not arising from immediate health care); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing

dangerous substances

Classified as hazardous waste.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 1789

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8

according to Regulation (EC) No 1907/2006

IconEtch

Print date: 20.04.2016 Product code: 6102 Page 5 of 6



Classification code: C1
Special Provisions: 520
Limited quantity: 1 L
Transport category: 2
Hazard No: 80
Tunnel restriction code: E

Other applicable information (land transport)

E2

Marine transport (IMDG)

14.1. UN number: UN 1789

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



Special Provisions: Limited quantity: 1 L
EmS: F-A, S-B

Other applicable information (marine transport)

E2

Air transport (ICAO)

14.1. UN number: UN 1789

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



Special Provisions: A3
Limited quantity Passenger: 0.5 L

IATA-packing instructions - Passenger:851IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:855IATA-max. quantity - Cargo:30 L

Other applicable information (air transport)

E2

: Y840

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

SECTION 15: Regulatory information

according to Regulation (EC) No 1907/2006

IconEtch

Print date: 20.04.2016 Product code: 6102 Page 6 of 6

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

SECTION 16: Other information

Relevant R-phrases (Number and full text)

34 Causes burns.

37 Irritating to respiratory system.

Relevant H- and EUH-phrases (Number and full text)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to Regulation (EC) No 1907/2006

IconInfiltrant

Print date: 20.04.2016 Product code: 2600 Page 1 of 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

IconInfiltrant

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: DMG Chemisch-Pharmazeutische Fabrik GmbH

Street: Elbgaustraße 248
Place: D-22547 Hamburg

Telephone: +49. (0) 40. 84006-0 Telefax: +49. (0) 40. 84006-222

e-mail: info@dmg-dental.com
Internet: www.dmg-dental.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory/skin sensitization: Resp. Sens. 1B

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

May cause respiratory irritation. Causes serious eye irritation.

Causes skin irritation.

May cause an allergic skin reaction.

2.2. Label elements

Signal word: Warning Pictograms: GHS07



Hazard statements

H335 May cause respiratory irritation.
 H319 Causes serious eye irritation.
 H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

Precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Waste disposal according to official state regulations.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P272 Contaminated work clothing should not be allowed out of the workplace.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

SECTION 3: Composition/information on ingredients

according to Regulation (EC) No 1907/2006

IconInfiltrant

Print date: 20.04.2016 Product code: 2600 Page 2 of 5

3.2. Mixtures

Chemical characterization

chemical characterization (preparation): Acrylate.-resin.

| name | | CAS | | % |
|------------------|---|------------|---|-------|
| TEDMA | | 109-16-0 | | 70-95 |
| Camphoro Quinone | Ĺ | 10373-78-1 | Ĺ | < 2.5 |

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

After contact with skin, wash immediately with: Water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Immediately get medical attention.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Extinguishing powder. Sand. Foam. Carbon dioxide (CO2).

Unsuitable extinguishing media

High power water jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear suitable protective clothing. The following must be prevented: inhalation, skin contact.

6.2. Environmental precautions

Do not empty into drains or the aquatic environment.

6.3. Methods and material for containment and cleaning up

Collect mechanically.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed. Wear suitable protective clothing and gloves. Avoid contact with eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Ensure adequate ventilation of the storage area.

Keep container tightly closed in a cool, well-ventilated place.

Further information on storage conditions

Store only in original container.

SECTION 8: Exposure controls/personal protection

according to Regulation (EC) No 1907/2006

IconInfiltrant

Print date: 20.04.2016 Product code: 2600 Page 3 of 5

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation of the storage area.

Protective and hygiene measures

When using do not eat or drink.

Eye/face protection

Tightly sealed safety glasses.

Hand protection

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber).

Respiratory protection

The following must be prevented: inhalation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: colourless - yellow

Odour: like: ester

Test method

pH-Value: not applicable

Changes in the physical state

point of decomposition: > 250 °C
Flash point: 100 °C
Lower explosion limits: not determined
Upper explosion limits: not determined
Vapour pressure: not determined
Density: 1 g/cm³
Water solubility: miscible.

SECTION 10: Stability and reactivity

10.1. Reactivity

Preparation not tested.

10.2. Chemical stability

Preparation not tested.
Substances sensitive to light.

10.3. Possibility of hazardous reactions

Preparation not tested. No risks worthy of mention.

10.4. Conditions to avoid

Light. heat.

Decompostion takes place from temperatures above: 200 °C

10.5. Incompatible materials

Reducing agents. radical former. heavy metals.

10.6. Hazardous decomposition products

Can be released in case of fire: Gas / vapours, irritant. (Acrylate., pungent). Substances sensitive to

according to Regulation (EC) No 1907/2006

IconInfiltrant

Print date: 20.04.2016 Product code: 2600 Page 4 of 5

light.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

Preparation not tested.

Acute toxicity

Acute toxicity, oral (Rat.): LD50: > 5000 mg/kg Acute toxicity, dermal (Rabbit.): LD50: > 3000 mg/kg

Irritation and corrosivity

Frequently or prolonged contact with skin may cause dermal irritation.

Irritant effect on the eye:

Additional information on tests

Contains Methacrylic esters.: May produce an allergic reaction.

SECTION 12: Ecological information

12.1. Toxicity

Preparation not tested.

12.2. Persistence and degradability

Preparation not tested.

12.3. Bioaccumulative potential

Preparation not tested.

12.4. Mobility in soil

Preparation not tested.

12.5. Results of PBT and vPvB assessment

Preparation not tested.

12.6. Other adverse effects

Preparation not tested.

Further information

Do not empty into drains or the aquatic environment. Leakage into the environment must be prevented.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Paste: Carry out a burning of harzardous waste according to official regulations .

Waste disposal number of waste from residues/unused products

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except

kitchen and restaurant wastes not arising from immediate health care); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing dangerous substances

Classified as hazardous waste.

SECTION 14: Transport information

Other applicable information

Not a hazardous material with respect to these transportation regulations.

according to Regulation (EC) No 1907/2006

IconInfiltrant

Print date: 20.04.2016 Product code: 2600 Page 5 of 5

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Relevant H- and EUH-phrases (Number and full text)

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

Further Information

-

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)