Trade Name: ACTIVA BioACTIVE-BASE / LINER

1.0	Commercial Product Name and Supplier				
1.1	Commercial product name	ACTIVA BioACT	TIVE-BASE / LINER		
1.2	Application / Use	Dental material for	or use by dental professiona	al only.	
1.2.2	SIC	851 Human heal	th activity		
1.2.3	Use Category	55			
1.3	Manufacturer Pulpdent Corporation 80 Oakland Street, P.O. Box 780 Watertown, MA 02472 USA	Telephone: 1 61 Email: <u>Pulpdent(</u>	7 926-6666 / Fax: 1 617 926 @pulpdent.com	S-6262	
1.4	Emergency Telephone Number	1-800-535-5053 (24 Hour / USA)			
1.5	Authorized European Representative	Advena Ltd. Pure Offices, Plato Close Warwick, CV34 6WE United Kingdom			
2.0	Hazards Identification				
2.1	Classification				
2.1.1	Classification according to Regulation	Hazard Class	Hazard Category	Hazard Statement	

2.1.1	Classification according to Regulation (EC) No 1272/2008 [CLP]	Hazard Class	Hazard Category	Hazard Statement
		Eye irritation	2	H319
		STOT SE	3	H335
		Skin irritation	2	H315
		Skin sensitization	1	H317

2.1.2 Classification according to Directive 67/548/EEC Irritant; Xi; R 36/37/38 – 43 (See SECTION 16 for full text of risk phrases)

2.2 GHS Label Elements

Hazard Pictograms



Signal Word: WARNING

Restricted to use by dental professional only.

Hazard Statements

H319: Eye irritation. 2. May cause eye irritation.

H335: STOT SE. 3. May cause respiratory irritation.

H315: Skin irritation. 2. May cause skin irritation.

H317: Sensitization. 1. May cause an allergic skin reaction.

Precautionary Statements

P261: Avoid breathing vapor.

P280: Wear protective gloves and eye protection

P305+P351: If in eyes, rinse cautiously with water for several minutes.

P337+P313: If eye irritation persists, get medical advice/attention.

P302+P352: If on skin, wash with plenty of soap and water.

P333+P313: If irritation or rash occurs, get medical advice/attention.

P410+P411: Protect from sunlight. Store at temperature not exceeding 27°C / 80°F.

Trade Name: ACTIVA BioACTIVE-BASE / LINER

3.0	Composition					
3.1	Chemical characterization of the preparation:		paration:	Bioactive ionic resin with reactive glass filler		
3.2	Hazardous ingredients					
	CAS Number	CAS Number Name of the Ingredient		Concentration	Classification per 67/548/EEC	Classification per Regulation (EC) No.1272/2008 (CLP).
	Proprietary	Blend of diure other methacr modified polya	ylates with	53.2%	Irritant; Xi R 3637//38 - 43	Eye irritation, 2, H319 STOT SE 3, H335 Skin irritation, 2, H315 Skin sensitization, 1, H317
	112945-52-5	Silica, amorph	ious	3.0%	Irritant; Xi, R 36/37/38	Eye irritation, 2, H319 STOT SE 3, H335 Skin irritation, 2, H315
	7681-49-4	Sodium fluorio	le	0.90%	Harmful (Xn); R22-36/38	Acute toxicity, 4, H302 Skin irritation, 2, H315 Eye irritation, 2, H319
4.0	First Aid Measure	S				
4.1	General Information May be irritating to eyes, respiratory system and skin. Avoid contact with eyes skin. Do not inhale vapors. May cause sensitization by skin contact. Show this states data sheet to medical personnel. Get medical attention in case of uncertainty.			on by skin contact. Show this safety		
4.2	Inhalation	Move to fresh air. If necessary, administer oxygen and/or artificial respiration.		en and/or artificial respiration. Seek		
4.3	Skin Contact		Take off co	ntaminated clothir	ıg. Wash skin thoroι	ighly with soap and water.
4.4	Eye Contact	Keep eyelid		ds apart; flush with running water for 15+ minutes. Get medical attention		5+ minutes. Get medical attention.
4.5	Ingestion		Rinse mouth with water. Do not induce vomiting. Get immediate medical attention. May be irritating to mucous membranes. Never give anything by mouth to an unconscious person.			
4.6 4.7	Precautions for first	•	sponders Ventilate the area. Wear eye and skin protection.			
	Symptoms		Irritation or redness in eyes, throat or on skin.			
			May be irritating to eyes, respiratory system and skin. May cause sensitization by skin contact.			
	Treatment As above		As above u	ınder First Aid.		
5.0	Fire Fighting Meas	sures				
5.1	ŭ ŭ		oxide, dry chemical, alcohol foam, or water fog. Water spray may be used exposed containers cool.			
5.2	Extinguishing media	Extinguishing media to avoid		Do not use direct water stream		
5.3	Special exposure h	azards in a fire	Heat may o	Heat may cause polymerization with rapid release of energy.		
5.4	Special protective equipment for fire-fighters		Self-contair	Self-contained breathing apparatus		
6.0	Accidental Releas	e Measures				
6.1	Personal precaution	ns.	Wear safet	y glasses, gloves a	and lab coat.	

Trade Name: ACTIVA BioACTIVE-BASE / LINER

6.2	Environmental precautions	Avoid releasing large amounts of uncured material into the environment. Cured / set-up material is, to our knowledge, inert.		
6.3	Method for clean up	Contain spilled material. Absorb or wipe up spill with suitable material (paper towels or cloths). Collect for disposal in a covered container. Wash area of spill with alcohol or soap and water.		
7.0	Handling and Storage			
7.1	Handling	For use only by dental professionals. Follow good hygiene practices. Avoid direct / strong light sources, temperature extremes (>27°C/80°F, <5°C/40°F), contamination, cross contamination. Recap immediately after use.		
7.2	Storage	Store product tightly capped in original container at cool room temperature (<25°C). Avoid direct, strong light, sources of ignition and extremes of temperature. Shelf life for unopened product is two years from date of manufacture, provided that the material has been stored properly.		
7.3	Specific uses	Dental base/liner		
8.0	Exposure Controls / Personal Protection			
8.1	Exposure limit values	PEL: Not established. TLV: Not established.		
8.2	Exposure controls			
8.2.1	Occupational exposure controls	No special equipment required under normal conditions of use		
8.2.1.1	Respiratory protection	Good general ventilation is sufficient to control any airborne vapors.		
8.2.1.2	Hand protection	No special requirements other than the usual surgical gloves worn by dental staff.		
8.2.1.3	Eye protection	No special requirements other than the usual safety glasses worn by dental staff.		
8.2.1.4	Skin protection	Good personal hygiene and safety practices; wearing a lab coat.		
8.2.1.5	Other controls	Emergency eye wash fountain should be available. Wash hands after use.		
8.2.2	Environmental exposure controls	Cure material before disposing.		
9.0	Physical and Chemical Properties			
9.1	Characteristics			
9.1.1	Appearance /Color / Physical state	Two pastes: Part A is yellowish; Part B is off-white		
9.1.2	Odor	Faint, characteristic		
9.2	Important health, safety and environmental information			
9.2.1	pH	Not determined		
9.2.2	Boiling point	Not determined		
9.2.3	Flash point	Not determined		
9.2.4	Flammability (solid, gas)	Not applicable		
9.2.5	Explosive properties	Not applicable		
9.2.6	Oxidizing properties	Not determined		
9.2.7	Vapor pressure	< 1 mm Hg		
9.2.8	Specific gravity	Part A: 1.460 ± 0.02 g/mL; Part B: 1.380 ± 0.02 g/mL		
9.2.9	Solubility in water	Nil		

Trade Name: ACTIVA BioACTIVE-BASE / LINER

9.2.10	Partition coefficient	Not determined
9.2.11	Viscosity	Not determined
9.2.12	Vapor density	Not determined
9.2.13	Evaporation rate	Not determined
10.0	Stability and reactivity	
10.1	Conditions to avoid	Temperature > 38°C, intense light, cross-contamination.
10.2	Materials to avoid	Reducing and oxidizing agents, peroxides, amines.
10.3	Hazardous decomposition products	Under fire conditions and with amounts greater than that supplied in this product, hazardous polymerization may occur with heat build-up and release of carbon monoxide, carbon dioxide, and oxides of nitrogen.
10.4	Further information	Stable material if stored and used as directed. Polymerization will occur when light-cured material is exposed to direct light.
11.0	Toxicological information	
11.1	Acute toxicity	Finished product in paste form presents a minimal health hazard under normal conditions of use and in the quantities necessary for dental restoration. Sodium fluoride: Oral rat LD ₅₀ : 180 mg/kg Silica, amorphous: Oral rat LD ₅₀ : 3160 mg/kg
11.2	Irritation and corrosiveness	May be irritating to eyes, respiratory tract, mucous membranes or skin on contact or with prolonged exposure.
11.3	Sensitization	May be sensitizing. Prolonged or frequent skin contact may cause allergic skin reactions in some susceptible individuals.
11.4	Sub-acute, sub-chronic and prolonged toxicity	Prolonged and/or frequent skin contact may cause allergic skin reactions in susceptible individuals. Prolonged exposure to large amounts (more than in this product) may cause eye and respiratory irritation.
11.5	Carcinogenicity, Mutagenicity, Reproductive Toxicity	None known
11.6	Empirical data	Biocompatibility has been tested and found to be acceptable.
11.7	Clinical experience	Activa Base/Liner is a new product that has been evaluated by dentist consultants. There have been no reports of adverse events.
12.0	Ecological Information	
12.1	Ecotoxicity	Avoid release of uncured material into the environment. To the best of our knowledge, polymerized material is inert. No other information is available. Follow all government regulations.
13.0	Disposal Considerations	
13.1	Regulations	Follow all local and national government regulations in disposing material or contaminated packaging.
14.0	Transport Information	
14.1	Restrictions	None. Not regulated.

Revision Date: May 1, 2017

Trade Name: ACTIVA BioACTIVE-BASE / LINER

15.0	Regulatory Information	
15.1	EU Regulations	Class IIa medical device under MDD 93/42/EEC.
15.2	US FDA	Class II Medical Device
15.3	Health Canada	Class III medical device
16.0	Other information	
16.1	List of relevant R phrases	R36/37/38: Irritating to eyes, respiratory system and skin.
		R43: Sensitizing by skin contact.
16.2	Hazard Statements	H319: Eye irritation. Hazard category 2.
		H335: Specific Target Organ Toxicity - Single exposure; hazard category. 3. Respiratory tract irritation.
		H315: Skin irritation. Hazard category 2.
		H317: Skin Sensitization. Hazard category 1.
16.3	Precautionary Statements	P261: Avoid breathing vapor.
		P280: Wear protective gloves and eye protection
		P305 + P351: If in eyes, rinse cautiously with water for several minutes.
		P337 + P313: If eye irritation persists, get medical advice/attention.
		P302 + P352: If on skin, wash with plenty of soap and water.
		P333 + P313: If irritation or rash occurs, get medical advice / attention.
		P410 + P411: Protect from sunlight. Store at temperature ≤ 27°C / 80°F.
16.4	Restrictions on use	Activa Base/Liner is to be sold to and used by dental professionals only.
16.5	Further information	The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.
16.6	Sources of key data	National Institute for Occupational Safety (NIOSH)
	·	US Occupational Safety and Health Administration (OSHA)
		Eur-Lex European Union Law: Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH).
		Guidance on the compilation of safety data sheets. Version 1.1; December 2011. European Chemicals Agency
16.7	Information which has been added, deleted or revised.	This Safety Data Sheet has been revised to meet the requirements of the GHS SDS format, Regulations (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH). Specifically, Sections 2.1, 2.2, 3.2, 16.2, 16.3 have been modified.

Revision Date: May 1, 2017